G R S App F IX 4]

Previous References

194/ -

(gpl)

File No 79-41

Serial Nos 29, 30, 31, 32, 34, 35

Later References

ML 79-41 & 41-42

GENERAL AND REVENUE SECRETARIAT

Serial Nos

1

Part B for Oct 41

SUBJECT

Drawing of the Kovur anicut canal near Imperial Dairy Institute

To,

The secretary to the Resident-

RoC 161 dt 21.7-41

Explains the position in the matter

copy to the chief Engineer, M & B

D C Bangalore, Dire of P 41

8/10.41.

G R S APP F III—1]

4085

GENERAL AND REVENUE SECRETARIAT

(LR)

NOTES File No 380-41

FILE HEADING

Draining of the Koramangala tank adjoining the land occupied by the Imperial Dairy Institute on the Hosur Road

FROM

The Secretary to the Hon'ble the Resident

No RF 47-42/9+A Dated 10-2-42 Received 11 2 42

Diary No 4085	Encls	Spare copies	Serial No /

BRIEF ABSTRACT OF LETTER

Enquires whether it is the intention of the Mysore govt to drain the Koramangala tank of its water permanently and if so what provision it will be possible to make for providing irrigation water to the farm attached to the Imperial Dairy Institute

NOTES AND ORDERS

Sd A report will be called for urgently from the Chief Engineer and in the meanwhile the letter acknowledged

Bangalore SECRETARIAT 11 FEB 1942

11/2

Bangalore 11/2

27 Yes I submit to Hon'ble the Resident

11/2 11/2

NOTES—First Sheet

WD 077 —GPB—5 000—11 9 40

Draining of the Koramangala Tank

4083

L & F File No 380 of 194/ 4344 General and Revenue Secretariat

Subd with two drafts

To the Chief Engineer
" Dy, Bangalore
No R 5805-6 G/12 2-42
Dy a copy of the letter & calls for a report

To the Secy to the Hon'ble the Resident
No Pol 1505 G/12 2-42
Acknowledges the receipt of the letter

Returned after issue with reference to para 2 above
Subd for perusal

12 FEB 1942
No 4776

Letter no 14004/560 B dated 26 2-42 from the chief Engineer reporting that the Dy g PH and S E Mysore circle have been addressed in the matter

Subd for perusal

(3

General and Revenue Secretariat | File No | of 194 | [App F III—2

Col 22.9.1

No R F 47-42/G & A

Q 4673

Th ply to th com
t h llb dd dt
tl S ret y t th Re d t
My re B g l e by
d gnat n d t by m

FROM

THE SECRETARY
TO THE HON BLE THE RESIDENT IN MYSORE

To The Chief Secretary to the Government of
His Highness the Maharaja of Mysore,
Bangalore

Dated Bangalore the 16th March *194* 2

CHIEF SY
18 MAR 42
RESIDENT OF MYSORE

Draining of the Koramangala tank adjoining the land occupied by the Imperial Dairy Institute on the Hosur Road

---

SIR

I am directed to refer to my letter No R F 47-42/ G & A, dated the 10th February 1942 and to request the favour of an early reply

I have the honour to be,
Sir,
Your most obedient servant,

for SECRETARY TO THE RESIDENT

ksln.

8) Subd If approved, the chief Engineer will be asked to obtain the reports of the Supdg P.H. and S.E. Mysore Circle immediately and forward them to Govt and

NOTE—Contn Sheet

WD 04155—GPB—55 000—29 10-41

Draining of the Karamangala Tank 1173
adjoining the Imperial Dairy Institute

46802

GR File No 380 of 194[illegible] General and Revenue Secretariat

Serial No

The D C Bangalore reminded
He was reminded last on 27 2 42

9) Put up also for reminder
20 3 42

10) Submitted with 3 drafts
19/3

11) Issued

Issued R 5962 dt 20 3 42 to the C Engineer
R 5963 dt 20 3 42 to the D C Bangalore
Pol 1770 dt 20 3 42 to the Secy to the Resident

Letter no C 81-235 dt 13 3 42 from the Director of PH furnishing a report in the matter

11 Submitted for perusal

1. The Reports from the Chief Engineer and the D C Bangalore may be awaited

23/3

2. [illegible]

Drawing of the Kuramangala canal
- adjoining the land occupied by the (S'
Imperial Dairy Institute

General and Revenue Secretariat | File No 5626/41 | 52 | 42 | [App F III—2

Serial No

PEN 6

5626/41

BEOY L H DEPT 2422 24 MAR 1942 GOVT OF MYSORE

OFFICE OF THE REGISTRAR LSC&PH Dat 24 3 1942 No 5548

1) The Residency cover & the report of the Director of Public Health are subd for perusal. Before a final reply could be sent, the reports from the Chief Engr & the D C. Bglre Distt are necessary. Their receipt is awaited

Lawsey) for
23/3/42

for perusal

2) The reports from the C E and D C Bangalore Distt may be awaited

Munster
L S G)

Hm
2
24/3/42

17) for
Hm
24 3 42

mr RS

SRS A

Hm
2
25 3 42

From the Dy Commr, Bglre Dist for
No AG 4690/41-42 Dt 25-3-42
forwards the report called for
18) Solicitor perusal.
Receipt of a reply from the Chief Engineer
may be awaited

WLB
30/3

SR
30/3

NOTE—Contn Sheet

WD 04155—GI B—55 000—23 10 41

b) Koramangala Tank - Drawing of Water 5771/

5771/L

File No | of 194 | General and Revenue Secretariat

Serial No

19) The report received from the D.C Bangalore District is quite full & complete and gives the necessary material for sending a reply to the Residency, with reference to their letter dated 10-2-42.
But before doing so, it seems necessary to get the opinion of the Director of Public Health in regard to his suggestion that in the event of the wells failing, the supply of the Imperial Dairy Farm may be diverted to enlarge the flow of the sewage water flowing in the bed of the Koramangala Tank - when reached - for purposes of consumption. This will be done if approved

Mary Cadman
early

Lawley 31/3/42

20) Hm 30/3/42

21) Draft letter attached Lawley 31/3

22) Submitted with a draft letter for appl. 31/3

23) Issue today 31/3

To Dir of Health
No L 9275 Dt 31-3-42
Calls for his opinion urgt

5771
5996
600

Drawing of Koramangala Tank (7)

General and Revenue Secretariat | File No | of 191 | [App F III—2

Serial No

From the Chief Engineer
Letter No 19478 of 7 4 42
Forwarding a copy of his letter to the Secy PWD on the subject
From the Chief Engineer
Letter No 19480 of 7 4 42
Forwarding a copy of his letter to the Director of Pub Health together with a copy of letter of the Director of Dairy Research, for information & Favour of replying to the Director of Dairy Research

2) The Chief Engineer has called for the views of the Dr of P H on the several aspects of the question and has proposed to hold a meeting with the Mysore Engineers mentioned others & fix up a date in Consultation with the Supdg Engineer, Mysore circle

Dr of P H
Chief Engineer
Director of Dairy Research
Supdg Engr Mysore circle
Drainage Engineer
Exp Engr Bangalore Dr

2a) The Director of Pub Health has sent his reply to this office letter No L 9225 of 31 3 42 Submitted for orders

24 18/4/42

2b) The C E might perhaps reply to the Dr of Dairy Research saying that a meeting is proposed to be held, names from Govt Depts to ask him to come at which stage

A

27) A final reply from Govt maybe sent after the reply from the Dy P H is received

20/4

28) In the WD Office—GPB—55 000—3 10 41 A may be done

Law Secy Jun
1 Hon 7/4/42 Dy Secy 7/4/42
2 11/4/42

SECY LA DEPT
334
21 APR 1942
GOVT OF

NOTE—Contn Sheet

5996
600

Drawing of Kosamangalam Lands

File No | of 194 | General and Revenue Secretariat

Serial No

29) Draft to the Chief Engineer Sub
Dft
22/4/42
Sig
22/4

30) Issue today
Sig

To the Chief Engr
No 10168 dt 22-4-42
States that he may send an
additional reply & that a final reply
would go from Govt on receipt of a
final report from him & the Dr of P.H
No 10169 dt 22/4/42
Copy to Dr of P.H

Sig
22

31) Are the Hds be kept in Sus?
Sig
24/4

32) yes Instruct on 1542 of no
reply is recd by then A reply may be given
to the Resident in the case
Sig
24/4/42

Sig
24/4

33) Subs
Sig
6/5

34) Pl instruct to be issued to the CE & Dr of P.H
Draft Dos Instruct
Dft
7/5/42

35) Issue today
Sig
7/5/42

Issued No 10697 & 10698
dt 7/5/42

Sig

Serial No

Dated

36) Report has been called for from the Chief Engineer & the Dy P Health & they have been reminded on 7-5-42

37) Submitted with a draft letter for approval

38) The draft as put up may be approved

Lawley 7/5/42

EGY LAW DEPT 13 4 302 14 MAY 1942 MYSORE

14/5

Hm 2 13/5/42

39) Done 13/5/42

To The Secy to the Resident No Pol 2146 Dy 16/5/42

States that a reply will be sent shortly on receipt of certain reports due from the Heads of the P W & Health Depts etc

Draft

WD 04155—GPB—55 000— 3 10-41

11) Draining of Koramangala Tank
6888 D 7156

File No 76 of 1942

General and Revenue Secretariat

Serial No

From the Dr of P Health
No C81-324 Dt 21-5-42
forwards a copy of his letter addressed to the Chief Engineer in the matter.

40) Submitted for perusal. Receipt of the proceedings of the proposed meeting will be awaited.

WB 27/5 WP

41) Please put up the two other files recd on the subject from the Rev Dept of Secrets

for 28/5/42

42) Submitted the two files received from the G M Branch are linked herewith

WB 29/5 WP

43) A further communication has been received from the Chief Engr in regard to the holding of a meeting of officers on the behalf on 13-6-42 that may be put up for

WB/ms

44) The reference since received from the Chief Engineer is put up

"R"

WB 10/6 WP

45) Please remind the Chief Engineer after the 15th inst the meeting would be over by the 13th inst

for WB/ms

Drainage of Koramangala Tank (II)

7156 ✓ 7621

General and Revenue Secretariat — File No L of 1941-42 — [App I III-2

Serial No.

46) Submitted with a draft letter for approval
Under 17/6/42

47) For perusal of Government
Law Secy. 17/6/42

Advocate General 17/6/42

Issued 18/6/42

To the Chief Engineer
No L 11718 Dy 18.6.42
Requests him to forward the proceedings of the meeting being awaited

Govt A 19/6/42

NOTE—Cont Sheet

LEGY LAW DEPT S 267 17 JUN 1942 GOVT OF MYSORE

W D [illegible] G B—A. 000—9-1041

File No

of 194

General and Revenue Secretariat

Serial No

OFFICE OF THE HON'BLE THE RESIDENT
IN MYSORE, BANGALORE.

~~Government of India~~

No R F 47-42/G & A ~~DEPARTMENT~~

Pol 3073
7950/2

Dated the 18th June 1942.

Subject — Draining of the Koramangala tank adjoining the land occupied by the Imperial Dairy Institute on the Hosur Road

The undersigned is directed to invite attention to the communication noted in the margin and to ~~the favour of an early reply.~~ ~~request that the return of the file be expedited~~ enquire when the reply promised therein may be expected.

Your letter No. Pol 2146
L S G, dated the 15th May 1942.

SECY LAW DEPT
19 JUNE 1942.
GOVT OF MYSORE

for SECRETARY TO THE RESIDENT

S 10

MFP—971 S&P—(M 1581)—13 10 39—300 000 NSIC 1942

File No of 194

General and Revenue Secretariat

Serial No

ON HIS MAJESTY'S SERVICE

To

The Secretary to the Government of
His Highness the Maharaja of
Mysore, Law Department, Bangalore

P To

(12

7156 7621 7950 '13

General and Revenue Secretariat | File No | of 194 | [App F III-2

Serial No

2343

250

48) Contd with the Connected file

49) The Chief Engineer has been requested on 18-6 42 to forward the proceedings of the meeting proposed to be held on 13-6 42 and the same is awaited

50) In favour of expediting the forwarding of the proceedings in question

51) Personal Asst to the Chief Engr will

52) A copy of the proceedings has been forwarded with this office letter No. 2563/ dated 30-6 42 addressed to the Secretary to Government, Law Department

Assistant Secretary to Govt Law Department, with compliments

NOTE—Cont Sheet

WD 6415—GPB—5 000—23-10 41

Draining of Koramangala Tank
7156 \ 7621 \ 7950 \ 21
2

File No of 1941/42 — General and Revenue Secretariat

Serial No

From The Chief Engineer
No 25631, Dt 30-6-42
Forwards a copy of the proceedings of the meeting of officers held on 13-6-42 in connection with the provision of irrigation facilities to the lands of the Imperial Dairy Institute consequent on the draining of the Koramangala Tank together with a copy of letter addressed to the Director of Dairy Research

Orders for perusal 53) A draft letter to the Residency is put up for approval

WB 3/7

54) These papers relate to the draining of the Koramangala Tank adjoining the land occupied by the Imperial Dairy Institute on the Hosur Road

55) The Residency has asked for information as to whether it is the intention of the Government of Mysore to drain the Koramangala tank of its water permanently and, if so, what provision it will be possible to make for providing irrigationwater to the farm attached to the Imperial Dairy Institute

56) The question has been considered by referring the matter to the Director of Public Health and the Deputy Commissioner, Bangalore District

The draining off of the tank is a part of the City Drainage Scheme The outfall works will be located on the lands below the tank which have been acquired and taken possession of

At

(14

Draining off the Koramangala Tank near the Imperial Dairy Institute - on the Hosur Road.

General and Revenue Secretariat — File No 79 71 of 1941-42 — [App F III-2

Serial No	
57)	At present the tank is being slowly depleted in accordance with the instructions issued by the Minister for Local Self Government and Public Health when he visited the spot on 20th June 1941
58)	This step has been taken to abate the mosquito nuisance in the City and Civil & Military Station. When the outfall works are built, the tank will have to be breached
59)	As regards the second point, viz provision of irrigation water to the farm attached to the Imperial Dairy Institute, the question has been gone into by a Committee of Officers with the Chief Engineer of Mysore as Chairman the Director of the Dairy Institute was also present, at the meeting held on 13th June 1942 After a consideration of all the aspects of the case, the Committee have made certain suggestions for arranging the supply of water in the event of the tank being drained of
40)	The Chief Engineer of Mysore has also sent a copy of the proceedings of the meeting to the Director of the Dairy Research, Bangalore
41)	A draft reply to the Residency based on the reports received from the Director of Public Health in Mysore, the Deputy Commissioner, Bangalore District and the Chief Engineer of Mysore, is put up for consideration

DEWAN'S OFFICE 17 JUL 1942 NO 686

SECY LAW DEPT 15 JUL 1942 GOVT OF MYSORE

OFFICE OF THE CHIEF MINISTER FOR LOCAL SELF GOVT & PUBLIC HEALTH Dt 15-7-42 No 551

NOTE—Cont Sheet

Law Secy 14/7/42

May be approved

Chief Min & S-G

Dewan

Chief 14-7-42

for 15-7-42

WD 041 5—GPB—55 000—23-10 41

43) Sec 16-7-42

Dewan 16/7/42 Law Secy 17/7/42 Chief 20-7-42 Chief 16-7-42

21

mL File No 79 of 1941/42 — General and Revenue Secretariat

Serial No 35

To The Secy to the Resident
No Pol-161 Dy 21-7-42
Explains the position and also forwards a copy of the proceedings of the meeting held on 13-6-42
To The Chief Engineer
The Dr of P Health
The Dy Commr. Bloch Dy
The Asst Commr. Bhy. thro Pol
No L 812-15 Dy 22-7-42
Forwards a copy of the above

Thro BJ 24/7/42

Perhaps these papers may be ordered to be recorded, as there seems to be no necessity for keeping this file in Sus — for ever —

yes

BJ 16/10/42

hmj 13/10

L 15/7 + Lwr

Th reply to th comm cat h ld b add sed to th Secret y to the Resid t i My re, B gal re, by d gnat d by me.

No R.F.47-42/G & A

11-3 1942

R 4085
R 380-41-1

FROM

THE SECRETARY TO THE HON'BLE THE RESIDENT IN MYSORE

To

The Chief Secretary to the Government of
His Highness the Maharaja of Mysore,
Bangalore

Rec'd 5/mm
M T B E
JM
CM

Rec'd
10 FEB 1
GOVT OF MYSORE

Dated Bangalore the 10th February 1942

Draining of the Koramangala tank adjoining the land occupied by the Imperial Dairy Institute on the Hosur Road

---

SIR

I am directed to say that it has been brought to the notice of the Hon'ble the Resident by the Director of Dairy Research, Bangalore, that the Koramangala tank, adjoining the land occupied by the Imperial Dairy Institute, on the Hosur Road, is being drained of its water

2 The Director points out that the draining of the tank in question is likely to raise very serious difficulties in the management and maintenance of the Dairy farm attached to the Institute The farm possesses three large wells which obtain their water supply from the seepage derived from the tank These wells are worked by electric pumps which supply nearly 200,000 gallons of water a day for irrigating an area of about 12 acres of land which grows perennial grasses and other fodder crops If therefore, this source of supply of water for irrigation purposes decreases or ceases altogether, the farm will have to purchase approximately 20 lakhs pounds of green fodder a year which this area has been producing all along, for the maintenance of the valuable dairy herd If the quantity of green fodder is to be purchased from outside, it will cost the farm anything from Rs 10,000 to Rs 12,000 extra annually to maintain the herd at its present strength Besides it will seriously interfere with the scientific activities and more particularly those pertaining to the cultivation of

cultivation of fodder crops, if suitable facilities are not provided immediately to irrigate the farm lands Further the Dairy farm has been supplying the requirements of milk and milk products of the British Station Hospital and the British troops in Bangalore and if the irrigation water falls short of the quantity required the supply of dairy produce may be seriously disorganised as no provision has been made either in this year's or next year's budget to meet with such an emergency It may also seriously interfere with the activities of the Imperial Dairy Research Institute recently established on the premises of the Imperial Dairy Institute under the orders of the Government of India

3 Under these circumstances the Hon'ble the Resident will be glad to know whether it is the intention of the Government of Mysore to drain the Koramangala tank of its water permanently and if so what provision it will be possible to make for providing irrigation water to the farm attached to the Imperial Dairy Institute I am to request the favour of a very early reply

I have the honour to be,
Sir,
Your most obedient servant,

SECRETARY TO THE RESIDENT

ksln

Appendix F G—1]

SUBJECT

✓ 2 drafts

Section L & R

File No 380-41

Serial No 2 3 ✓

Diary No of letter replied to

No R 5105-6 bits Encls
encl to each

To

The Chief Engineer
" WC, Bangalore

Sir,

In forwarding herewith copy of letter no R P- 47 42/S&A dated 10 2 42 from the Secy to the Hon'ble the Resident in Mysore re the drawing of the Karamangala tank adjoining the land occupied by the Imperial Dairy Institute on the Hosur Road, I am directed to request you to furnish a detailed

General and Revenue Secretariat

( )

the *19*

Date of issue 12/2/42

Signed by Asst S & V

List of enclosures

Copied by

Examined by

WD 03695—GPB—30 000—29 1 40

report on the several points
raised therein very early

I have

for Chief Secy

Appendix F G—1]

SUBJECT Draining of the Koramangala tank adjoining the land occupied by the Imperial Dairy Institute on the Hosur Road

Section LR

File No 380-41

Serial No 3

Diary No of letter replied to

No Rl 1505

To

The Secy to the Hon'ble the Resident in Mysore, Bangalore

General and Revenue Secretariat

( )

the *19*

Date of issue 12 2 1942

Signed by Hn S K V

Sir,

I am directed to acknowledge the receipt of your letter no R F 47 42/S&A d 10 2 42 on the subject noted above and to state that the matter is receiving attention ~~engaging the attention~~ ~~you got~~

List of enclosures

Copied by

Examined by

I have
to
the
Secy to Govt

WD 03695—GPB—30 000—29 1 40

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

No Rel 1505

Dated Bangalore 12 February 1942.

FROM

The Chief *Secretary to the Government of His Highness the Maharaja of Mysore*

To

The Secretary to the Hon'ble the Resident in Mysore
Bangalore

Sir,

Subject - Draining of the Koramangala Tank adjoining the land occupied by the Imperial Dairy Institute on the Hosur Road

I am directed to acknowledge the receipt of your letter No R F 47-42/G & A dated 10th February 1942 on the above subject and to state that the matter is receiving attention

I have the honour to be,
Sir,
Your most obedient servant,

for Chief Secretary to Government

Aga/2

GOVERNMENT OF MYSORE R 4344

Add

IMMEDIATE

No 14004 /560-B
Encls

OFFICE OF
The Chief Engineer of Mysore,
Public Works Department,
Bangalore
Date 26 — 2 — 1942

To

L R 380-41-4

The Chief Secretary to Government,
Bangalore

Sir

Rec'd 27 FEB 1 GOVT OF

Subject - Draining of the Koramangala tank - adjoining the land occupied by the Imperial Dairy Institute on the Hosur Road

---

With reference to your letter No R 5105-6/L R 380-41-2 dated the 12th February 1942, I have the honour to inform you that, the draining of the Koramangala tank is seen to be in connection with the sewage disposal of the Bangalore City and Civil & Military Station The Director of Public Health has, therefore, been requested to furnish a detailed report to Government on the several points raised in the Residency letter

2 A report has also been called for from the Superintending Engineer, Mysore Circle, on the several points raised and about the --- disposal of the achkat lands and arrangements made for providing --- irrigation water to the Farm attached to the Imperial Dairy Institute after the tank is drained off On receipt of the report a further --- communication will be made in the matter

I have the honour to be
Sir,
Your most obedient servant,

26/2/42

A K

Offg Chief Engineer of Mysore

3 drafts

Appendix F G—1]

SUBJECT

Section LR

File No 380/41

Serial No

Diary No of letter replied to

No R 5962

To The Chief Engineer of Mysore

General and Revenue Secretariat

( )

the *19*

Sir,

Date of issue 20/3/42

I am directed to invite reference to your letter no 14004/560-B dated 26-2-42 re the draining of the Kara-mangala tank adjoining the land occupied by the Imperial Dairy Institute on the Hosur Road and to request that the further report promised therein may be sent

Signed by Ag S K V

List of enclosures

Copied by

Examined by

WD 086—GPB—40 000—30 7 40

up very early

I have

I have to go to

Appendix F G—1]

SUBJECT

3 RR /

Section LR

File No 380-41

Serial No

Diary No of letter replied to

No R 5963

To The D C Bangalore

General and Revenue Secretariat

( )

the *19*

Sir

Date of issue 20 3 42

In inviting reference to this office letter no R 5105-6 / LR 380-41-2 dated 12 2 42 and reminder thereto noted in the margin, calling for an early report as the allow the question of drawing of the Karamangala tank adjoining the Imperial Dairy Institute on the Hosur Road,

Signed by Ucf S K V

R 5444-5-d 19 2 42

List of enclosures

Copied by

Examined by

WD 086—GPB—40 000—30 7 40

I am directed to request you to kindly arrange to furnish the same without further delay

I have
for 19/6
Chief Secy
Jogat

Appendix F G—1]

SUBJECT Please copy from PWD

Section LR

File No 380-41

Serial No

Diary No of letter replied to

No Rd 1770

To The Secy to the Hon'ble the Resident in Mysore

General and Revenue Secretariat

( )

the *19*

Sir,

Date of issue 20th March 1942

I am directed to acknowledge the receipt of your letter no RF 47-42, dt 16 3 42 on the subject mentioned above and to state ~~in reply~~ that the matter ~~in question~~ is under consideration ~~investigation~~ and a reply will be sent as soon as possible. I have

Signed by Mr S. K V

I am Sir

Your obedient servant

Chief Secy

List of enclosures

Copied by

Examined by

WD 086—GPB—40 000—30 7 40

OFFICE OF

THE DIRECTOR OF PUBLIC HEALTH

IN MYSORE,

Bangalore, dated March 13, 1942

No C 81-235
Encl

OR 4682

L R 380-41-5

To

The Chief Secretary
to the Government of Mysore,
BANGALORE

Sir,

Subject Draining of the Koramangala Tank--adjoining the land occupied by the Imperial Dairy Institute, on the Hosur Road

---

With reference to your letter No R 5105-6/L R 380-41-2 dated 12th February 1942 addressed to the Chief Engineer in Mysore, forwarding copy of letter No R F 47-42/G & A dated 10th February 1942 from the Secretary to the Hon'ble the President in Mysore, which has been forwarded to this office by the Chief Engineer, I have the honour to inform you that in connection with the drainage scheme of Bangalore City, Government have sanctioned a comprehensive scheme in which are included proposals for not only the collecting system, the main sewer for carrying on the collected material but also works for treatment and disposal of sewage The last item viz , works for treatment and disposal of sewage are decided to be located in the Koramangala Tank area and the final disposal will be by sewage Farming The places that are to be utilised for the sewage Farm are the bed of the Koramangala tank and the lands below which were hitherto irrigated by the tank The Koramangala tank has thus to be depleted Government in their Order No L 7527-31/M1 10-40-22 dated 22-4-1941 sanctioned the acquisition of the Koraman ala tank and the lands necessary for the purpose Acquisition proceedings have been completed and the lands have been taken possession of and what was left to be done is the depletion of the tank

The increased quantity of nightsoil that is being put into the sewer as a result of larger and larger numbers of house connections and its reaching the tank finally is making the situation an impossible one and in addition mosquito breeding from the tank bed is so enormous that it has become a great nuisance both

P T O

both for people in City and in the Cantonement, The Military Authorities of Civil and Military Station, as well as the Municipal authorities are complaining very badly of the insanitary condition of Koramangala tank and mosquito breeding The depletion of the tank is undertaken as part of the drainage scheme, for working out details of disposal arrangement and also to prevent the avoidable nuisance and insanitary condition that was created by the tank acting as a storage reservoir for the sewage of Bangalore City

The lands stated to belong to the Imperial Dairy Institute and said to have been irrigated with well water within the premises of the Dairy Institute do not come under Atchkat of the Koramangala tank All the lands that had to be acquired have been acquired This land is above the water spread and does not utilise any water directly from the tank It is for the Institute to make its own arrangements for the water as they made hitherto But if they find any difficulty in getting water and growing fodder as they have been doing, they may take on lease from the City Municipality lands below the bund where they can grow fodder crops

I have the honour to be,
Sir,
Your most obedient servant,
G G Carmichael
Director of Public Health

S 721/L

Office of the Deputy Commissioner
Bangalore District
Dated Bangalore, 25th March 1942

No: A 4690/41-42
Encs: 1

From

M Seshadri Esq M A
Deputy Commissioner
Bangalore District

To

M G Mehkri Esq B A LL B
Chief Secretary to the Government of Mysore,
Bangalore

Sir,

Subject:- KORAMANGALA TANK - DRAINING OF WATER

With reference to your letter o P 5105-6/L R 330-41-2 dated 12-2-1942 forwarding for report a copy of the letter received from the Secretary to the Hon ble the Resident in Mysore about the draining of the Koramangala Tank I have the honour to state as follows:-

1 The lands under the Koramangala tank have been acquired for the location of the outfall works of the City drainage scheme I would invite reference to Government Order o . 5468-M1 10-40-15 dated 22-1-1941 sanctioning the acquisition of these lands The lands under the tank have all been acquired and possession has been handed over to the Sanitary Department The tank bed itself is badly overgrown with water hyacinth resulting in stagnation of water in the tank bed This condition is said to be partly responsible for the increase of the Mosquito trouble in the City Ultimately when the outfall works are built the Koramangala tank will have to be breached At present the tank is being slowly depleted in accordance with the instructions i sued by the Minister for Public Health when he visited the spot on 20th June 1941 This step has been taken to abate the Mosquito nuisance in the City and the C & M Station

2 The Imperial Dairy Institute possesses lands covering an extent of 93 acres and 13 guntas distributed between Adugodi and Koramangala Jodi villages The particulars are noted below:-

		Ac	Gs
Adugodi	Kandayam lands	65	31
	Lease lands	15	15
Koramangala	Jodi	17	7
	Total	98	13

About three-fourths of the area is under fodder crops The source of water-supply consists of three irrigation wells that have been excavated in this area

I may add that these lands lie adjacent to the bed of the Korsamangala tank The Superintendent of the Institute apprehends that when the tank is breached and the tank bed runs dry the water supply in his wells may fail and that he may find it difficult to find water for the irrigation of the lands of the Institute As already mentioned these lands are adjacent to the bed of the tank and the main sewage channel from the City flows by the side of these lands Even after the tank is depleted the sewage water will have to be used by the Sanitary Department for raising a Sewage Farm nearby the tank The discharge from the City and C & M Station is expected to be two million gallons per day There will be a constant flow of water in the sewage channel It seems to me that there will always be some amount of moisture in the tank bed and it is improbable that the wells in the Institute would be seriously affected Even if these wells run dry sewage water could be drawn into these wells from the main sewer channel which is very near and then used up for irrigation I understand that the Institute needs about two lakhs of gallons of water per day while the discharge will be over two million gallons per day It seems to me therefore that the Institute is not likely to suffer shortage of water for irrigation

3 I am enclosing a copy of the report received from the Amildar Bangalore South Taluk in this matter

4 I visited the Institute and met the Superintendent and explained the position to him He would be satisfied if in the event of his wells failing he is permitted to draw a portion of the sewage into his wells for purposes of irrigation It seems to me that he may bepermitted to do so

I have the honour to be
Sir
Your most obedient servant

Deputy Commissioner
Bangalore District

KRG 2

Appendix F G—1]

SUBJECT

Section ML
File No 79-41
Serial No 30

Diary No of letter replied to

No L 9275 Gnc one

To

The Dy of Health

Sir

Subject – Koramangala Tank – Draining of water –

In continuation

with reference to your letter No C81-235 Dy 13-3-42 on the above subject, I am directed to forward herewith a copy of letter No A6-4690/41-42 Dy 25/3/42 received from the Dy Comm, Bangalore Dt together with the Members report in original to the matter) and to request you to be so good as to forward your opinion on the suggestions made by

General and Revenue Secretariat

( )

the *193*

Date of issue 31 3 42

Signed by for G R Rao

One copy is available in the file need not be typed

List of enclosures

Copied by

Examined by

The Dy Commr in Hon this letter
referred to above, expresses on the question of permitting the Supts of any farm to drain a portion of the sewage into the wells should they fail
An early reply is requested as a reply is due to the Rulers.
Thanks etc

Hon Secy to Govt
Mlb Law Deptt
31/3

31/3

GOVERNMENT OF MYSORE

Telegr phic Add

OFFICE OF
the Chief Engineer of Mysore,
Bangalore

No 19478
Encls

Date 7th April 1942

To

The Chief Secretary to Government,
Public Works Department,
Bangalore

Draining of the Koramangala tank adjoining the lands occupied by the Imperial Dairy Institute on the Hosur Road

---

With reference to your letter No R 5962/L R 380-41 dated 20th March 1942, I have the honour to forward herewith a copy of this office Memo No 17259 dated 20th March 1942 addressed to the Secretary to Government Public Works Department furnishing my views on the above subject

I have the honour to be
Sir,
Your most obedient servant,

7/4/42

Offg Chief Engineer of Mysore

1SRN

Memo No 17259 dated 20th March 1942 from the Chief Engineer of Mysore Bangalore to the Secretary to Government, Public Works Department Bangalore

---

Draining of Koramangala tank adjoining the lands occupied by the Imperial Dairy Institute on the Hosur Road

---

Returned with compliments

As the drainage of this tank is under the control of the Director of Public Health he has been requested in this office No 14004/560/B dated 26th February 1942 to furnish a report to Government in the matter

With respect to the water supply of the wells now in use by the Imperial Dairy Institute it was seen during inspection that they are situated well above the water spread of Koramangala tank and as such derive their supplies from springs and the normal underground drainage Therefore, it appears that they will not be affected adversely by the depletion of the tank The wells may however be supplied with sewage water by the excavation of a channel at a suitable level from the main outfall if such an arrangement is not considered detrimental to the cultivation of fodder crops This is a matter for the Agricultural Department to decide

---

Copy "

N Gopalaswami

For Chief Engineer of Mysore

TSRN

5-996/L

GOVERNMENT OF MYSORE

Tlg plc
Add

OFFICE OF
the Chief Engineer of Mysore,
Bangalore

No 19480
Encls

Date 7-4-42

To

The Director of Public Health in Mysore,
Bangalore

Sir

Koramangala tank, draining of - loss of irrigation facilities to the Imperial Dairy Institute lands

With reference to your Memo No 81-236/41-42 dated 14th March 1942, I have the honour to forward herewith, a copy of letter No 471/42 dated 20th March 1942 received from the Director of Dairy Research, Government of India, on the above and to state that, I propose to hold a meeting with the marginally noted officers to consider the several aspects of the question I therefore, request you to be so good as to furnish your views in the matter, so that, the Superintending Engineer, Mysore Circle, may be requested to fix up a suitable date for the meeting

*
1 Director of Public Health
2 Chief Engineer of Mysore
3 Director of Dairy Research
4 Superintending Engineer, Mysore Circle
5 Drainage Engineer
6 Executive Engineer, Bangalore Dn

I have the honour to be
Sir,
Your most obedient servant,

Sd) L A H Winckler

Offg Chief Engineer of Mysore

No 19481 Dated Bangalore, 7th April 1942

Copy of the above with a copy of letter No 471/42 dated 20th March 1942 received from the Director of Dairy Research, is forwarded, with compliments to the Chief Secretary to Government, for information in continuation of this office letter No 19478 dated 7-4-1942 and favour of replying to the Director of Dairy Research (Government of India) Bangalore

8 APR 42
GOVT OF MYSORE

Offg Chief Engineer of Mysore

TSRM

Letter No 471/42 dated 20th March 1942, from the Director of Dairy Research, Bangalore, to the Chief Engineer of Mysore, Bangalore

---

Koramangalam tank, draining of - loss of irrigation facilities to the Imperial Dairy Institute lands.

I have the honour to state that I understand from the Superintendent, Imperial Dairy Institute, Bangalore, that you were good enough to pay a visit to the Institute along with the Executive Engineer, Bangalore Division, on the 3rd March 1942 in connection with the draining of the Koramangalam tank and were pleased to make the following observations -

(i) The draining of the tank would not affect the crops at all as the lands were not getting the water from the tank directly The water table would, however drop by about 10 feet and this could be raised again by seepage from higher levels

(ii) An artificial tank might be erected at a higher level somewhere on the far side of Adugodi village and your staff would inspect the various spots to find a suitable one for locating the tank This water might be better utilised for irrigating the Institute lands by means of a canal connecting the tank to the irrigation system of the farm and

(iii) You approved of the present arrangements made for getting the sewage water for irrigating the farm lands by means of channels connected to the Municipal sewage drain and that you would arrange to provide an outlet to the channel from the pucca sewage drain, when it was built, and also a filter tank for it

2 With reference to the above suggestions, I beg to observe as below -

(i) I do not agree that the draining of the tank will not have effect on the cultivation of crops on the Institute farm I feel, on the other hand, that it will seriously affect them Of the three wells situated on the farm, two are fed directly from this tank for 10 to 11 months of the year and they will, therefore, become dry when the tank is drained off The third well also which is fed by seepage from the tank, will be affected by the consequent lowering of the water table It is also felt that the water table cannot be raised to any extent by means of tanks situated at any distance from the farm wells

(ii) As regards the construction of a tank on the far side of Adugodi village, I am afraid that a tank situated so far from the farm will not be of any use to it as the tank will also be used by the farmers in the vicinity and the quantity of water that will reach the farm lands will be very small Again the cost of maintaining a canal, ~~lying xxtxisxthexInstitutexpremisesxix~~ as suggested would be very high and the portion of the canal lying outside the Institute premises is always liable to interruption by outsiders and even destruction

(iii) Though arrangements have been made to get the sewage water from the Municipal drain through a channel, it is not known what the effect of this undiluted and untreated sewage water on the soils and crops would be The matter is under observation Besides, it is also apprehended that there might be difficulty in getting even this water during the transition period when the present surface sewage channels are being converted into underground drainage systems, (which seems to be the accepted scheme of the Government of Mysore) if an outlet to the pucca drain is not provided or the obtaining of the sewage water by the existing arrangement allowed to continue

In the circumstances, I have to request that the whole question may kindly be reviewed again and suitable permanent arrangements made for providing alternative irrigation facilities to the In titute lands It is also hoped that until such time as a permanent solution is found in the matter you will be kind enough to help this Institute in getting over the difficulties explained above with regard to obtaining the sewage water from the Municipal drain and to make arrangements for the provision of an outlet from the pucca sewage system, when made, and also a filter tank as suggested by you during your last visit to the Institute

I shall be obliged for an early reply in the matter

" Copy "

For Chief Engineer of Mysore

TSRN

Appendix F G—1]

SUBJECT

X

Section

File No

Serial No

Diary No of letter replied to

No L 10168

To The Chief Engineer
Mysore

General and Revenue Secretariat

( )

the *19*

Sir,

Date of issue 24/4/42

Drawing of the Koramangala Tank

With reference to Correspondence ending with your letter No 12480 of) 4 42, on the subject I am directed to State that Government are unable you may reply to the Director of Dairy Research, saying that a meeting of Departmental Officers is proposed to be held shortly to Consider the general aspects of the question.

Signed by

List of enclosures

Copied by 23/4/42

Examined by L 10168 dt 24/4/42

I have etc

for Secy to Govt

Please note
Copy to D P H for expediting the steps called for in this office letter
Ref L 9275 dt 31 3 42 from Law Dept

WD 0369—GPB—30 000—29 1-40

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

No L 10169 *Dated Bangalore* 24/IV April 1942

FROM

The Secretary to the Government of His Highness the Maharaja of Mysore
Law Department

To

The Chief Engineer of Mysore,
Bangalore

Sir,

Draining of the Koramangala Tank

With reference to correspondence ending with letter No 19480 dated 7th April 1942 on the above subject, I am directed to state that you may kindly send an ad-interim reply to the Director of Dairy Research saying that a meeting of the Departmental Officers is proposed to be held shortly to consider the several aspects of the question Final reply would go from Government on receipt of final report from you and the Director of Public Health

I have the honour to be,
Sir,
Your most obedient servant,

Sd H V Narayana Rao

Secretary to Government,
Law Department

Aga/3

Memo No L 10169 Dated, Bangalore the 24/IV April 1942

Copy of the above is forwarded with compliments to the Director of Public Health in Mysore for expediting the information called for in this office letter No L 9275 dated 31st March 1942

By Order,

Ramachandra

For Secretary to Government,
Law Department

Draining of the Kosamangala Tank

L 10698

7/5/42

The Chief Engineer

Dear Sir

I am desired to invite reference to this office letter No L 10168/8 24th April 1942 on the above subject and to request you to expedite the final report in the matter

This matter be treated as very urgent

Yours Faithfully

for

Asst Secretary to Govt

To

The Director of Public Health

L 10697

7/5/42

Dear Sir

I am desired to invite reference to this office memo No L 10169/8 24/4/42 forwarding the ~~for information~~ a copy of letter No L 10168/8 24/4/42 addressed to the Chief Engineer of Irrigation regarding the draining of the Kosamangala Tank and to request you to furnish this information called for in letter no L 9273/8 31/3/42 immediately as a reply has to be sent to Govt in this matter urgently

Yours Faithfully

for

Asst Secretary to Govt

Appendix F G—1]

SUBJECT

Section ml

File No

Serial No

Diary No of letter replied to

General and Revenue Secretariat

( )

the *19*

Date of issue 15th May 1942

Signed by Mr H V N

No Gl 2146

To The Secretary to the Hon'ble the Revenue

Sir,

Subject – Drainage of the Kovalamangala Tank adjoining the lands occupied by the Imperial Dairy Institute on the Hosur Road

with reference to the correspondence ending with your letter No R 7 47-42 G+A Dt 12-5-1942 on the above subject, I am directed to state that a reply will be sent to you shortly on the receipt of the reports called for from the Chief Engineer & the Certain due from the

List of enclosures

Copied by

Examined by Heads of the P W & Health Depts who have proposed to mark together & settle the question

WD 086—GPB—40 000—30 7 40

T.O

7074/L

No 22353
Encls

MYSORE PUBLIC WORKS DEPARTMENT
CENTRAL OFFICE

Camp Shimpga
Dated Bangalore 18th May *1942*

FROM

The Chief Engineer of Mysore
BANGALORE



To



The Secretary to Government,
Law Department,
Bangalore

Sir,

Subject - Draining of Koramangala tank adjoining the lands occupied by the Imperial Dairy Institute on the Hosur Road

---

With reference to your office D O letter No L 10698 dated 7-5-42, on the above subject, I have the honour to state that the Director of Public Health has been requested to furnish his views about holding a meeting consisting of the marginally-noted officers* to consider the several aspects of the question His reply is awaited As soon as it is received necessary further action will be taken and a final report submitted to Government The Director of Public Health has again been requested to expedite his views in the matter

1 Director of Public Health
2 Chief Engineer of Mysore
3 Director of Dairy Research
4 Superintending Engineer Mysore Circle
5 Drainage Engineer
6. Executive Engineer Bangalore Division

I have the honour to be,
Sir,
Your most obedient servant

Offg Chief Engineer of Mysore
Camp Shimoga

19/5

Submit for perusal as an ad-interim reply has been sent to the Residency on 15-5-42 Receipt of a final report will be awaited

"E"

24/5

The Dir of P-H may be written to to expedite his views on the matter, by sending a copy of this letter for info

25/5

put up with a draft letter for appln (letter not issued)

7156/L

GEN & IT
201 -2

No C 81-324 Ee
one copy to be sent

OFFICE OF THE DIRECTOR OF PUBLIC HEALTH
IN MYSORE,

Bangalore, Dated, 21st May 1942

79-41-32

To

The Secretary to Government,
Law Department, Bangalore

SECY LAW DEPT
25 MAY 1942
GOVT OF MYSORE

With reference to your letter No L 10697 dated 7th May 1942 and letter dated 24th April 1942, I have the honour to enclose herewith a copy of the reply sent to the Chief Engineer with reference to his letter No 19480 dated 7th April 1942 for information of Government

It is possible for the Dairy Institute to take water from the main sewer either crude sewage or treated water from the place where it can be made available to them In either case they will have to come into understanding with the Municipal Council for paying water rate The Municipal Council have a right over the water and they will demand payment for the water used as they have been doing in the case of gardeners along the present main drain If either of these proposals are not acceptable to the Dairy Institute they may lease the lands that are now being acquired both in the bed of the tank as well as below for growing fodder crops where water will be made available for their purpose

I have the honour to be,
Sir,
Your most obedient servant,

DIRECTOR OF PUBLIC HEALTH

JBR

No

OFFICE OF THE DIRECTOR OF PUBLIC HEALTH IN MYSORE,

Bangalore, Dated, 21st May 1942

To

The Chief Engineer of Mysore,

Bangalore

Sir,

With reference to your letter No.19480 dated 7th April 1942, I have the honour to inform that I agree with your proposal for holding a meeting with the Officers mentioned in your letter to consider the several aspects of the question In this connection I have to mention that the work at present undertaken by the Department is on behalf of the Bangalore City Municipality and it is on their behalf the acquisitions have been effected and works carried out. The water and sewage are the properties of the Municipality The treatment and disposal of plants and the lands will be the property of the Municipality and any revenue that may be derived from these lands will go to the Municipality The Municipality will have to incur a lot of expenditure for the maintenance of treatment and sewage disposal works and for final disposal on land Under the circumstances I would suggest the inclusion of the Commissioner as well as the President of the Municipality in the list of Officers in the Committee.

As regards the note sent by the Director of Dairy Research, Bangalore, I have discussed the matter with the Special Officer, Bangalore City Drainage and the Health Officer, Bangalore City From a technical point of view it is opined that sewage can be made available to the Dairy Institute from the main sewer, as the main sewer will be running quite close to the land belonging to the Institute At the same time the sewage as delivered from the main sewer does not seem to be acceptable to the Dairy Expert,

as

as he says that he would like to have the water diluted with fresh water, as mentioned in the sub Clause 3 of paragraph 2 of letter No 171/12 dated 20th March 1912 of the Director of Dairy Research, Dan alone, it is not known what the effect of this undiluted and untreated sewage water on the soils and crops would be If the Institute authorities would like to have the treated water, they will have to take it from a point where the treated sewage can be made available to them With reference to the treatment plant, it has not yet been decided where the treatment plant is to be located and what should be done for the treatment of sewage as regards diluting the sewage with fresh water the Department or perhaps the Municipality cannot undertake the responsibility

Next point to be considered is, as the Dairy Institute have no right on water as the Municipality may now be prepared to give the water gratis They have to be prepared to buy the sewage water from the Municipal Council at a rate to be fixed between the Municipal Council and the authorities concerned

I have the honour to be,
Sir,
Your most obedient servant,

DIRECTOR OF PUBLIC HEALTH

JBR

IMMEDIATE.

Mysore Public Works Department,
Central Office,
Dated, Bangalore, the June 1942.

M E M O R A N D U M.

A meeting consisting of the undermentioned Officers is proposed to be held in the Office of the Chief Engineer of Mysore, Bangalore, on Saturday the 13th June 1942 at 9 A.M., to discuss and consider the several aspects of the question of providing irrigation facilities to the lands of the Imperial Dairy Institute on the Hosur Road, consequent on the draining of the Koramangala tank in connection with the Bangalore Drainage scheme

2. A copy of letter No. 471/42 dated the 20th March 1942 received from the Director of Dairy Research is enclosed for information.

3. Members are requested to make it convenient to kindly attend the meeting.

(Sd) L A H Winckler,

CHIEF ENGINEER OF MYSORE.

1. Chief Engineer of Mysore (Chairman).
2. Director of Public Health
3. Director of Dairy Research.
4. President, Bangalore City Municipality.
5. Municipal Commissioner, Bangalore City.
6. Special Officer, City Drainage Division (Secretary)
7. Superintending Engineer, Mysore Circle, Mysore.
8. Executive Engineer, Bangalore Division.

7621/L

No. A 3861/1 Dated, Bangalore, the 6th June 1942.

Copy of the foregoing is forwarded with compliments to the Secretary to Government, Law Department, for information with reference to his memo No L 10934 dated the 15th May 42



Chief Engineer of Mysore



getting [redacted] of channels connected to [redacted] you would arrange to provide an outlet to [redacted] passes sewage drain, when it was built, and also a filter unit for it.

2. With reference to the above suggestions, I beg to observe as below:-

(i) I do not agree that the draining of the tank will not have effect on the cultivation of crops on the Institute farm. I feel, on the other hand, that it will seriously affect them. Of the three wells situated on the farm, two are fed directly from this tank for 10 to 11 months of the year and they will, therefore, become dry when the tank is drained off. The third well also which is fed by seepage from the tank, will be affected by the consequent lowering of the water table. It is also felt that the water table cannot be raised to any extent by means of tanks situated at any distance from the farm wells.

(ii) As regards the construction of a tank on the far side of Adugodi village, I am afraid that a tank situated so far from the farm will not be of any use to it as the tank will also be used by the farmers in the vicinity and the quantity of water that will reach the farm lands will be very small. Again the cost of maintaining a canal, as suggested, would be very high and the portion of the canal lying outside the Institute premises is always liable to interruption by outsiders and even destruction.

(iii) Though arrangements have been made to get the sewage water from the Municipal drain through a channel, it is not known what the effect of this undiluted and untreated sewage water on the soil and crops would be. The matter is under observation. Besides, it is also apprehended that there might be difficulty in getting even this water during the transition

Letter No. [illegible] 471/42 dated the 30th March 1942 from the Director of Dairy Research, Bangalore, to the Chief Engineer of Mysore, Bangalore.

Subject:- Koramangalam tank, draining of - loss of irrigation facilities to the Imperial Dairy Institute lands.

I have the honour to state that I understand from the Superintendent, Imperial Dairy Institute, Bangalore, that you were good enough to pay a visit to the Institute along with the Executive Engineer, Bangalore Division, on the 3rd March 1942 in connection with the draining of the Koramangalam tank and were pleased to make the following observations:-

(i) The draining of the tank would not affect the crops at all as the lands were not getting the water from the tank directly. The water table would, however, drop by about 10 feet and this could be raised again by seepage from higher levels.

(ii) An artificial tank might be erected at a higher level somewhere on the far side of Adugodi village and your staff would inspect the various spots to find a suitable one for its locating the tank. This water might be [illegible] better -- -- utilised for irrigating the Institute lands by means of a canal connecting the tank to the irrigation system of the farm. And

(iii) You approved of the present arrangements made for getting the sewage water for irrigating the farm lands by means of channels connected to the Municipal sewage drain and that you would arrange to provide an outlet to the channel from the pucca sewage drain, when it was built, and also a filter tank for it.

2. With reference to the above suggestions, I beg to observe as below:-

(i) I do not agree that the draining of the tank will not have effect on the cultivation of crops on the Institute farm. I feel, on the other hand, that it will seriously affect them. Of the three wells situated on the farm, two are fed directly fr from this tank for 10 to 11 months of the year and they will, therefore, become dry when the tank is drained off. The third well also which is fed by seepage from the tank, will be affect ed by the consequent lowering of the water table. It is also felt that the water table cannot be raised to any extent by means of tanks situated at any distance from the farm wells.

(ii) As regards the construction of a tank on the far side of Adugodi village, I am afraid that a tank situated so far from the farm will not be of any use to it as the tank will also be used by the farmers in the vicinity and the quantity of water that will reach the farm lands will be very small. Again the cost of maintaining a canal, as suggested, would be very high and the portion of the canal lying outside the Institute premises is always liable to interruption by outsiders and even destruction.

(iii) Though arrangements have been made to get the sewage water from the Municipal drain through a channel, it is not known what the effect of this undiluted and untreated sewage water on the soil and crops would be. The matter is under observation. Besides, it is also apprehended that there might be difficulty in getting even this water during the [illegible]

period when the present surface sewage channels are being converted into underground drainage systems (which seems to be the accepted scheme of the Government of Mysore) if an outlet to the Pumea drain is not provided or the obtaining of the sewage water by the existing arrangement allowed to continue.

In the circumstances, I have to request that the whole question may kindly be reviewed again and suitable permanent arrangements made for providing alternative irrigation facilities to the Institute lands. It is also hoped that until such time as a permanent solution is found in the matter you will be kind enough to help this Institute in getting over the difficulties explained above with regard to obtaining the sewage water from the Municipal drain and to make arrangements for the provision of an outlet from the Pumea sewage system, when made, and also a filter bank as suggested by you during your last visit to the Institute.

I shall be obliged for an early reply in the matter.

"C O P Y"

Chief Engineer of Mysore.

A.N./3-6.

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

Immediate

General and Revenue Secretariat

No L 11718 *Dated Bangalore* 18th June 1942

FROM

The Secretary to the Government of His Highness the Maharaja of Mysore
Law Department

To

The Chief Engineer of Mysore,
Bangalore

Sir,

I am directed to invite reference to your letter No 23860 dated 4th June 1942 regarding the holding of a meeting of officers on the 13th instant in connection with the provision of irrigation facilities to the lands of the Imperial Dairy Institute consequent on the Draining of the Koramangala Tank, and to request that the proceedings of the said meeting may be kindly submitted very early, as a reply has to be sent quickly to the Residency in this behalf

I have the honour to be,
Sir,
Your most obedient servant,

Drafty

for Secretary to Government,
Law Department

mk 2

Appendix F G—1]

SUBJECT

Immediate

Section ml

File No

Serial No

Diary No of letter replied to

No L 11718

To The Chief Engineer

Sir,

I am directed to invite reference to your letter No 23860 Dy 4-6 1942 re the holding of a meeting of Heads of Depts on the 13 th instant in connection with the Drainage of the Koramangala Valley, and to request you that the proceedings of the said meeting may be submitted very early, as a reply has to be sent to the Residency in this behalf

I have etc

for Secy to Govt

H & LA Depts

The provision of facilities for certain proposed changes in the lands of the Institute consequent on

General and Revenue Secretariat

( )

the *19*

Date of issue 18/6/42

Signed by Asst Secy

List of enclosures

Copied by

Examined by

WD 086—GPB—40 000—30 7 40

77

IMMEDIATE

21

WD 01251—GTP—6 000—04-1-35

NC 79-41-34

FROM
THE CHIEF ENGINEER OF MYSORE
BANGALORE.

To

The Secretary to Government,
Law Department,
Bangalor



Dated Bangalore 30-6-42

Despatched

Received

General No 25631

Enclosure No 2

Subject - Draining of Koramangala Tank.

Sir,

With reference to your letter No L 11718 dated the 18th June 1942, I have the honour to forward herewith, a copy of this office D O letter No 2413 dated the 25th June 1942 addressed to the Director of Dairy Researc with a copy of the Proceedings of the meeting of officers held on the 13th instant in connection with the provision of irrigation facilities to the lands of the Imperial Dairy Institute consequent on the draining of the Koramangala tank

I have the honour to be
Sir,
Your most obedient servant,

30/6/42

Chief Engineer of Mysore.

A K /30-6.

D O letter No 2413-14 dated the 25th June 1942 from the Chief Engineer of Mysore, Bangalore, to the Director of Dairy Research, Bangalore

---

Subject - Draining of Koramangala Tank

In continuation of this office No 23855 dated the 4th June 1942, I send herewith, for your information, a copy of the Proceedings of the meeting held in my office on the 13th idem in connection with the above

---

"C O P Y"

Chief Engineer of Mysore

A K /30-6

PROCEEDINGS OF THE MEETING HELD ON 13th JUNE 1942

IN CONNECTION WITH DRAINING OF KORAMANGALA TANK

MEMBERS PRESENT

1. The Chief Engineer of Mysore, Bangalore (Chairman).
2. The Director of Public Health in Mysore, Bangalore.
3. The Director of Dairy Research, Bangalore
4. The Superintending Engineer, Mysore Circle, Mysore.
5. The Executive Engineer, Bangalore Division, Bangalore
6. The Special Officer, City Drainage Division, Bangalore. (Secretary).

MEMBERS ABSENT

1. The President, Bangalore City Municipal Council
2. The Municipal Commissioner, Bangalore City

----oooOooo----

1. The Superintendent, Imperial Dairy Institute in reply to an enquiry, stated that ~~xxxxxxx~~ the Dairy Farm consisted of 12 acres of grassed and 15 acres of dry crops The consumption of water pumped from the wells is 200,000 gallons per day

With the drainage of Koramangala Tank, the water table is bound to fall and the Committee suggested the following alternatives.-

1) to excavate wells in the tank bed or behind the tank bund and install pumps,
2) to treat the sewage and supply the existing wells;
3) to use the treated sewage after the plant has been erected by the Bangalore Municipality and put into working order in about 2 years.

Whatever expenditure has to be incurred will have to be borne by the Imperial Dairy Institute in adopting either of the first two alternatives Furthermore, if sewage water is used, rates for such supply will have to be arranged with the Bangalore Municipality.

II The construction of a new tank near Adugodi village is estimated to cost Rs 7,000/- Apart from the cost, it is doubtful whether the small tank will supply water during the summer months

There is also the Arekempur halli jodi tank about 1½ miles from the Dairy Farm which might be used but involves a lot of complications, also as it means a long feeder channel which may lead to mosquito nuisance

These proposals are therefore dropped.

III Permanent arrangements for supply of treated sewage water may be taken up two years hence with the Bangalore ---- Municipality

25/6/42

Chief Engineer of Mysore
&
Chairman of the Committee

A K./24-6.

PROCEEDINGS OF THE MEETING HELD ON 13th JUNE 1942 IN CONNECTION WITH DRAINING OF KORAMANGALA TANK.

***

WHO WERE PRESENT.

1. The Chief Engineer of Mysore, Bangalore (Chairman).
2. The Director of Public Health in Mysore, Bangalore.
3. The Director of Dairy Research, Bangalore.
4. The Superintending Engineer, Mysore Circle, Mysore.
5. The Executive Engineer, Bangalore Division, Bangalore.
6. The Special Officer, City Drainage Division, Bangalore. (Secretary).

***

WHO WERE ABSENT.

1. The President, Bangalore City Municipal Council.
2. The Municipal Commissioner, Bangalore City.

***

1. The Superintendent, Imperial Dairy Institute in reply to an enquiry, stated that the Dairy Farm consisted of 12 acres of grassed and 15 acres of dry crops. The consumption of water pumped from the wells is 200,000 gallons per day.

With the drainage of Koramangala Tank, the water table is bound to fall and the Committee suggested the following alternatives:-

1) To excavate wells in the tank bed or behind the tank bund and install pumps;
2) to treat the sewage and supply the existing wells;
3) to use the treated sewage after the plant has been erected by the Bangalore Municipality and put into working order in about two years.

Whatever expenditure has to be incurred will have to be borne by the Imperial Dairy Institute in adopting either of the first two alternatives. Furthermore, if sewage water is used, rates for such supply will have to be arranged with the Bangalore Municipality.

II The construction of a new tank near Adugodi village is estimated to cost Rs 7 000/- Apart from the cost it is doubtful whether the small tank will supply water during the summer months

There is also the Arekempur halli jodi tank about 1½ miles from the Dairy Farm which might be used but involves a lot of complications; also it means a long feeder channel which may lead to mosquito nuisance

These proposals are therefore dropped.

III Permanent arrangements for supply of treated sewage water may be taken up two years hence with the Bangalore Municipality

Sd/ [illegible]
L A.H Winckler
Chief Engineer of Mysore
&
Chairman of the Committee

"Copy"

Secretary to Government
Law Department

PROCEEDINGS OF THE MEETING HELD ON 13th JUNE 1942 IN CONNECTION WITH DRAINING OF KORAMANGALA TANK

***

MEMBERS PRESENT.

1 The Chief Engineer of Mysore, Bangalore (Chairman)

2 The Director of Public Health in Mysore, Bangalore.

3 The Director of Dairy Research, Bangalore

4 The Superintending Engineer, Mysore Circle, Mysore

5 The Executive Engineer, Bangalore Division, Bangalore

6 The special Officer, City Drainage Division, Bangalore (Secretary).

***

MEMBERS ABSENT

1. The President, Bangalore City Municipal Council.

2 The Municipal Commissioner, Bangalore City

***

1. The Superintendent, Imperial Dairy Institute in reply to an enquiry, stated that the Dairy Farm consisted of 12 acres of grassed and 15 acres of dry crops. The consumption of water pumped from the wells is 200,000 gallons per day.

With the drainage of Koramangala Tank, the water table is bound to fall and the Committee suggested the following alternatives:-

1) To excavate wells in the tank bed or behind the tank bund and install pumps;

2) to treat the sewage and supply the existing wells;

3) to use the treated sewage after the plant has been erected by the Bangalore Municipality and put into working order in about two years

Whatever expenditure has to be incurred will have to be borne by the Imperial Dairy Institute in adopting either of the first two alternatives. Furthermore, if sewage water is used, rates for such supply will have to be arranged with the Bangalore Municipality.

II The construction of a new tank near Adugodi village is estimated to cost Rs 7 000/- Apart from the cost it is doubtful whether the small tank will supply water during the summer months

There is also the Arekempur halli jodi tank about 1½ miles from the Dairy Farm which might be used but involves a lot of complications also it means a long feeder channel which may lead to ~~a~~ quite nuisance

These proposals are therefore dropped.

III Permanent arrangements for supply of treated sewage water may be taken up two years hence with the Bangalore Municipality

Sd/ [illegible]
L A H Finckler

Chief Engineer of Mysore
&
Chairman of the Committee

"Copy"

Secretary to Government
Law Department

PROCEEDINGS OF THE MEETING HELD ON 13th JUNE 1942
IN CONNECTION WITH DRAINING OF KORAMANGALA TANK

***

MEMBERS PRESENT.

1 The Chief Engineer of Mysore, Bangalore (Chairman)

2 The Director of Public Health in Mysore, Bangalore.

3 The Director of Dairy Research, Bangalore

4 The Superintending Engineer, Mysore Circle, Mysore

5 The Executive Engineer, Bangalore Division, Bangalore

6 The special Officer, City Drainage Division, Bangalore (Secretary).

***

MEMBERS ABSENT

1. The President, Bangalore City Municipal Council

2 The Municipal Commissioner, Bangalore City

***

1. The Superintendent, Imperial Dairy Institute in reply to an enquiry, stated that the Dairy Farm consisted of 12 acres of grassed and 15 acres of dry crops. The consumption of water pumped from the wells is 200,000 gallons per day

With the drainage of Koramangala Tank, the water table is bound to fall and the Committee suggested the following alternatives -

1) To excavate wells in the tank bed or behind the tank bund and install pumps;

2) to treat the sewage and supply the existing wells,

3) to use the treated sewage after the plant has been erected by the Bangalore Municipality and put into working order in about two years

Whatever expenditure has to be incurred will have to be borne by the Imperial Dairy Institute in adopting either of the first two alternatives. Furthermore, if sewage water is used, rates for such supply will have to be arranged with the Bangalore Municipality

II The construction of a new tank near Adugodi village is estimated to cost Rs 7 000/- Apart from the cost, it is doubtful whether the small tank will supply water during the summer months

There is also the Arekempur halli jodi tank about 1½ miles from the Dairy Farm which might be used but involves a lot of complications also it means a long feeder channel which may lead to mosquito nuisance

These proposals are therefore dropped.

III Permanent arrangements for supply of treated sewage water may be taken up two years hence with the Bangalore Municipality

Sd/ [illegible]
L A.H Winckler

Chief Engineer of Mysore
&
Chairman of the Committee

"Copy"

[illegible]

Secretary to Government
Law Department

Rd 16161 d 21-7-1942

To

MRL 79-41-35 The Secretary to the Hon'ble
the Resident in Mysore

Sir,

Subject - Draining of the Koramanga Tank adjoining the land occupied by the Imperial Dairy Institute on the Hosur Road

---

"H" With reference to the correspondence ending with your letter No R F 47-42/ G & A dated the 18th June 1942, on the above subject, I am directed to state that it is the intention of the Mysore Government to drain the Koramangala tank of its water permanently for the following reasons

Government have sanctioned for Bangalore City a comprehensive drainage scheme in which are included proposals for not only the collecting system, the main sewer for carrying on the collected material but also for works for treatment and disposal of sewage The last item, viz works for treatment and disposal of sewage, is decided to be located in the Koramangala tank area and the final disposal will be by sewage farming The places that are to be utilised for the sewage farming are the bed of the Koramangal tank and the lands located below the tank, which were hitherto irrigated by the tank a which have been acquired already and taken possession of

The tank bed itself is badly overgrown with water hyacinth resulting in the stagnation of water therein and this condition is partly said to be responsible for the in-

crease

increase of malaria trouble in the City The Military authorities of the C & M Station as well as the Municipal authorities are complaining very badly of the insanitary condition of the Koramangala tank and mosquito breeding The depletion of the tank is therefore undertaken as part of the Drainage scheme for working out of the details of the disposal arrangements and also to prevent the avoidable nuisance and insanitary condition created by the tank acting as a storage reservoir for the sewage of Bangalore City Ultimately, when the outfall works are built, the tank will have to be completely breached It will thus be seen -- that this measure is undertaken in the interest of health of the inhabitants of the City and the Civil & Military Station Bangalore

In regard to the provision to be made for providing irrigation water to the farm lands attached to the Imperial Dairy Institute, it is ascertained that these lands are above the waterspread of the tank and are adjacent to it, and do not -- come under the atchkat of the Koramangala tank & no water is to ~~do not~~ also utilise ~~any water~~ directly from the Koramangala tank

After the tank is depleted, the sewage water will have to be used by the Sanitary Dept for raising a sewage farm near by the tank Even then, there would be a constant flow of water in the sewage channel and some amount of moisture in the tank bed and it is improbable that the wells in the Institute would be adversely affected as they would derive their supply from springs and the normal underground drainage

This

This question was also considered at a meeting of Officers held on the 13th Jun 1942 with the Chief Engineer of Mysore as Chairman A copy of the proceedings of th meeting is herein enclosed As stated in para 1 of the proceedings, any one of the alternatives referred to therein may be adopted to overcome the difficulty, in the event of the apprehended failure of water supply in the wells of the Institute

I have, etc ,

14 7 4

Secretary to Government,
Law Department

Memo No L 812-15 dy 22-7-42

Copy of he above is forwarded with compliments to (1) the Chief Engineer of Mysore, (2) the Director of Pub Health, (3 the Deputy Commr ,Bangalore Dt and (4) to the Municipal Commissioner, Bangalore City thro' the President

By Order,

Secretary to Government,
Law Department

KNN